

# Discover the stylish, versatile and aesthetic freestyle

Introducing Canopy by Soundtect® – a striking addition to the Freestyle™ range. These suspended ceiling baffles offer customizable depth and length, allowing for dynamic, sculptural ceiling designs that combine style with high-performance acoustic control.

Perfect for commercial spaces, Canopy enhances sound clarity while adding visual impact. Lightweight and easy to install, it comes in a variety of bold colours and finishes to suit any design vision.

Made with up to 70% recycled content and backed by Soundtect's acoustic expertise, Canopy is a sustainable, design-forward solution for modern architectural environments.

## · Elevated design potential

- Incredible versatility
- Available in a wide range of colours
- Create bespoke designs in specific corporate or design colours
- Suspend from the ceiling to create functional rooms with sound control properties
- Excellent sound absorption

- Finely turned reverberation thanks to Soundtect's pioneering acoustic technology
- Environmentally friendly and recyclable, Freestyle™ Acoustic Panels are ideal for projects when there is an eco-concious consideration to be made
- Manufactured by Soundtect®
- · Independently certified

Soundtect®

# freestyle

#### Colour range



# **Product Specifications**

# TYPICAL APPLICATIONS

Ceiling baffles

- · Composition: 100% Polyester
- Low VOC
- · Colour Fastness Properties
  - Colorfastness to Light, AATCC16(3), Class 4.5
- ISO 14006 Certified Manufacturing Facility
- Certified 100% Recyclable
- Recycled Content: Up to 70% (min. 50%) post consumer recycled content

#### FIRE RATING

• EN13501, Bs1d0

#### SIZE

- · 20mm thickness.
- · Available any length and depth

# **DENSITY THICKNESS**

- 10mm, 2kg/sqm
- · 20mm, 4kg/sqm

### **ACOUSTIC PROPERTIES**

10MM: NRC 0.35 20MM: NRC 0.65

# INSTALLATION

Freestyle  $^{\!\scriptscriptstyle{\mathsf{M}}}$  acoustic panels can be installed by two methods.

- Suspend from ceiling as baffles, rafts, or screens
- Wall mounted Freestyle<sup>™</sup> coverings, use an adhesive.

#### Moisture Absorption

Polyester fibre when exposed to an atmosphere of 50°C at 90% relative humidity for four days showed moisture absorption of less than 0.03% by weight. Polyester is not affected by moisture.

Does not contain any Red List chemicals\*.