



ceiling fins CLASS

Introducing a new range of ceiling baffles

Versatile, lightweight and easy to install, the Soundtect Fins offer visual movement and eye catching features to walls and ceilings, whilst addressing the problem of reverberation.

A better way to transform open, sound-challenged spaces into more comfortable environments.

KEY FEATURES & BENEFITS

- Soundtect acoustic panels offer design options that are unusual and stand out, giving designers more choice and flexibility for acoustic applications.
- The panels are easily wall mounted and can be used to create floating ceilings that absorb sound and enhance sound quality.
- Reverberation is reduced by offering Class A absorption to increase speech intelligibility in a specific area while reducing background sound noise levels.
- Soundtect panels are for indoor use only but can be used in any area that acoustic treatments are required including areas of high levels of humidity such as swimming pools



ceiling fins CLASS

Colour range



White



Ash



Charcoal

Product Specifications

TYPICAL APPLICATIONS

Celing coverings

- Composition: 100% Polyester
- Low VOC
- Colourfastness Properties
 - Colourfastness to Light, AATCC16(3), Class 4.5
- BS EN ISO 354:L2003.
- Certified 100% Recyclable
- Composition: 100% polyester fibre (PET) 70% recycled

FIRE RATING

- BS1 D0
- Suitable for use in Class1 and Class 0

SIZE

- 1000 x 300 x 40mm

ACOUSTIC PROPERTIES

- NRC: 0.65
- EN ISO 11654:1997

INSTALLATION

Easy installation for ceilings

- Fins are installed to ceilings via circular hooped bolts.
- Attached to a suspended frame system or to hooks directly on the ceiling.

Moisture Absorption

Polyester fibre when exposed to an atmosphere of 50°C at 90% relative humidity for four days showed moisture absorption of less than 0.03% by weight. Polyester is not affected by moisture.

Does not contain any Red List chemicals*.